# **APPENDIX 2**

# DFFE SCREENING REPORT AND SITE SENSITIVITY VERIFICATION

MARCH 2025

# SCREENING REPORT FOR AN ENVIRONMENTAL AUTHORIZATION AS REQUIRED BY THE 2014 EIA REGULATIONS – PROPOSED DEVELOPMENT FOOTPRINT ENVIRONMENTAL SENSITIVITY

.....

#### **EIA Reference number:**

Project name: CWA Expansion project

Project title: CWA Expansion project

Date screening report generated: 31/05/2023 10:27:53

Applicant: Cape Winelands Airport

**Compiler:** PHS Consulting

**Compiler signature:** 


**Application Category:** Infrastructure | Transport Services | Airport\_Runways\_Landing Strip\_Helipad | Commercial

# Table of Contents

Proposed Project Location	3
Orientation map 1: General location	3
Map of proposed site and relevant area(s)	4
Cadastral details of the proposed site	4
Wind and Solar developments with an approved Environmental Authorisation or applications under consideration within 30 km of the proposed area	5
Environmental Management Frameworks relevant to the application	5
Environmental screening results and assessment outcomes	5
Relevant development incentives, restrictions, exclusions or prohibitions	5
Proposed Development Area Environmental Sensitivity	
Specialist assessments identified	
Results of the environmental sensitivity of the proposed area.	
MAP OF RELATIVE AGRICULTURE THEME SENSITIVITY	
MAP OF RELATIVE ANIMAL SPECIES THEME SENSITIVITY	9
MAP OF RELATIVE AQUATIC BIODIVERSITY THEME SENSITIVITY	. 10
MAP OF RELATIVE ARCHAEOLOGICAL AND CULTURAL HERITAGE THEME SENSITIVITY	.11
MAP OF RELATIVE CIVIL AVIATION THEME SENSITIVITY	
MAP OF RELATIVE DEFENCE THEME SENSITIVITY	.13
MAP OF RELATIVE PALEONTOLOGY THEME SENSITIVITY	.14
MAP OF RELATIVE PLANT SPECIES THEME SENSITIVITY	. 15
MAP OF RELATIVE TERRESTRIAL BIODIVERSITY THEME SENSITIVITY	.20

# **Proposed Project Location**

# Orientation map 1: General location



**General Orientation: CWA Expansion project** 

# Map of proposed site and relevant area(s)



# Cadastral details of the proposed site

#### Property details:

No	Farm Name	Farm/ Erf	Portion	Latitude	Longitude	Property
NO	Failli Naille	No	Fortion	Latitude	Longitude	• •
				00045100.000		Туре
1	JOOSTENBERGS KLOOF	474	0	33°45'33.29S	18°44'50.31E	Farm
2	JOOSTENBERG	724	0	33°47'12.62S	18°43'58.99E	Farm
	VLAKTE					
3	KLIPRUG	942	0	33°43'51.86S	18°43'51.42E	Farm
4		1293	0	33°43'40.2S	18°44'23.51E	Farm
5	JOOSTENBERGS	474	3	33°45'39.94S	18°44'51.04E	Farm Portion
	KLOOF					
6	KLIPRUG	942	7	33°44'28.77S	18°44'10.4E	Farm Portion
7	JOOSTENBERGS	474	4	33°46'7.73S	18°44'41.41E	Farm Portion
	KLOOF					
8		1263	0	33°43'41.48S	18°44'23.55E	Farm Portion
9	JOOSTENBERG	724	0	33°45'49.53S	18°44'0.5E	Farm Portion
	VLAKTE					
10	KLIPRUG	942	7	33°44'30.38S	18°44'10.4E	Farm Portion
11	JOOSTENBERG	724	23	33°45'26.55S	18°43'56.04E	Farm Portion
	VLAKTE					
12	KLIPRUG	942	16	33°44'8.63S	18°44'36.26E	Farm Portion
13	JOOSTENBERG	724	0	33°47'12.62S	18°43'58.99E	Farm Portion
	VLAKTE					
14	JOOSTENBERGS	474	0	33°45'9.71S	18°44'41.41E	Farm Portion
	KLOOF					
15	JOOSTENBERG	724	10	33°46'13.22S	18°44'19.43E	Farm Portion
	VLAKTE					

Development footprint<sup>1</sup> vertices:

Footprint	Latitude	Longitude
1	33°46'33.36S	18°44'9.63E
1	33°46'10.72S	18°44'3.29E
1	33°46'8.57S	18°43'53.37E
1	33°45'3.86S	18°43'48.44E
1	33°44'32.97S	18°43'18.15E
1	33°44'16.37S	18°43'56.63E
1	33°45'45.37S	18°44'38.25E
1	33°45'48.01S	18°44'35.82E
1	33°46'10.56S	18°44'48.14E
1	33°46'16.74S	18°44'45.69E
1	33°46'20.72S	18°44'48.08E
1	33°46'21.75S	18°44'54.24E
1	33°46'24.97S	18°44'56.79E
1	33°46'33.36S	18°44'9.63E

# Wind and Solar developments with an approved Environmental Authorisation or applications under consideration within 30 km of the proposed area

No	EIA Reference No	Classification	Status of application	Distance from proposed area (km)
1	12/12/20/2109	Solar PV	Approved	21.3

# Environmental Management Frameworks relevant to the application

No intersections with EMF areas found.

# Environmental screening results and assessment outcomes

The following sections contain a summary of any development incentives, restrictions, exclusions or prohibitions that apply to the proposed development footprint as well as the most environmental sensitive features on the footprint based on the footprint sensitivity screening results for the application classification that was selected. The application classification selected for this report is:

Infrastructure | Transport Services | Airport\_Runways\_Landing Strip\_Helipad | Commercial.

# Relevant development incentives, restrictions, exclusions or prohibitions

The following development incentives, restrictions, exclusions or prohibitions and their implications that apply to this footprint are indicated below.

<sup>&</sup>lt;sup>1</sup> "development footprint", means the area within the site on which the development will take place and incudes all ancillary developments for example roads, power lines, boundary walls, paving etc. which require vegetation clearance or which will be disturbed and for which the application has been submitted.

Incentive, restriction	Implication
or prohibition	
Strategic Transmission Corridor-Central corridor	https://screening.environment.gov.za/ScreeningDownloads/Developmen tZones/Combined_EGI.pdf
Strategic Gas Pipeline Corridors-Phase 1a & 1b: Saldanha to Ankerlig and Saldanha to Mossel Bay	https://screening.environment.gov.za/ScreeningDownloads/Developmen tZones/Combined_GAS.pdf

# Proposed Development Area Environmental Sensitivity

The following summary of the development footprint environmental sensitivities is identified. Only the highest environmental sensitivity is indicated. The footprint environmental sensitivities for the proposed development footprint as identified, are indicative only and must be verified on site by a suitably qualified person before the specialist assessments identified below can be confirmed.

Theme	Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
Agriculture Theme		Х		
Animal Species Theme		Х		
Aquatic Biodiversity Theme	Х			
Archaeological and Cultural				Х
Heritage Theme				
Civil Aviation Theme		Х		
Defence Theme			Х	
Paleontology Theme				Х
Plant Species Theme			Х	
Terrestrial Biodiversity Theme	X			

# Specialist assessments identified

Based on the selected classification, and the known impacts associated with the proposed development, the following list of specialist assessments have been identified for inclusion in the assessment report. It is the responsibility of the EAP to confirm this list and to motivate in the assessment report, the reason for not including any of the identified specialist study including the provision of photographic evidence of the footprint situation.

No	Specialist	Assessment Protocol
	assessment	
1	Agricultural Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse ssmentProtocols/Gazetted_General_Agriculture_Assessment_Pro tocols.pdf
2	Archaeological and Cultural Heritage Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse ssmentProtocols/Gazetted_General_Requirement_Assessment_P rotocols.pdf
3	Palaeontology Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse ssmentProtocols/Gazetted_General_Requirement_Assessment_P rotocols.pdf
4	Terrestrial Biodiversity Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse ssmentProtocols/Gazetted_Terrestrial_Biodiversity_Assessment Protocols.pdf

5	Aquatic Biodiversity Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse ssmentProtocols/Gazetted Aquatic Biodiversity Assessment Pr
		otocols.pdf
6	Avian Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse
		ssmentProtocols/Gazetted Avifauna Assessment Protocols.pdf
7	Civil Aviation Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse
		ssmentProtocols/Gazetted_Civil_Aviation_Installations_Assessme
		<u>nt_Protocols.pdf</u>
8	Defense Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse
		ssmentProtocols/Gazetted Defence Installations Assessment Pr
		<u>otocols.pdf</u>
9	Noise Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse
		ssmentProtocols/Gazetted Noise Impacts Assessment Protocol.
		pdf
10	Traffic Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse
	Assessment	ssmentProtocols/Gazetted General Requirement Assessment P
		rotocols.pdf
11	Geotechnical Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse
		ssmentProtocols/Gazetted General Requirement Assessment P
		rotocols.pdf
12	Socio-Economic Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse
	Assessment	ssmentProtocols/Gazetted General Requirement Assessment P
12		rotocols.pdf
13	Plant Species Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse
		ssmentProtocols/Gazetted_Plant_Species_Assessment_Protocols.
14	Animal Creation	pdf
14	Animal Species Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse
		ssmentProtocols/Gazetted_Animal_Species_Assessment_Protoco
		<u>ls.pdf</u>

# Results of the environmental sensitivity of the proposed area.

The following section represents the results of the screening for environmental sensitivity of the proposed footprint for relevant environmental themes associated with the project classification. It is the duty of the EAP to ensure that the environmental themes provided by the screening tool are comprehensive and complete for the project. Refer to the disclaimer.




#### MAP OF RELATIVE AGRICULTURE THEME SENSITIVITY

Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
	Х		

Sensitivity	Feature(s)
High	Annual Crop Cultivation / Planted Pastures Rotation;Land capability;06. Low-Moderate/07. Low-
	Moderate/08. Moderate
High	Annual Crop Cultivation / Planted Pastures Rotation;Land capability;01. Very low/02. Very low/03.
	Low-Very low/04. Low-Very low/05. Low
Low	Land capability;01. Very low/02. Very low/03. Low-Very low/04. Low-Very low/05. Low
Medium	Land capability;06. Low-Moderate/07. Low-Moderate/08. Moderate


# MAP OF RELATIVE ANIMAL SPECIES THEME SENSITIVITY



Where only a sensitive plant unique number or sensitive animal unique number is provided in the screening report and an assessment is required, the environmental assessment practitioner (EAP) or specialist is required to email SANBI at <u>eiadatarequests@sanbi.org.za</u> listing all sensitive species with their unique identifiers for which information is required. The name has been withheld as the species may be prone to illegal harvesting and must be protected. SANBI will release the actual species name after the details of the EAP or specialist have been documented.

Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
	X		

Sensitivity	Feature(s)
High	Aves-Circus maurus
High	Aves-Pelecanus onocrotalus
High	Aves-Sagittarius serpentarius
Medium	Aves-Circus ranivorus
Medium	Aves-Hydroprogne caspia
Medium	Aves-Afrotis afra
Medium	Invertebrate-Pachysoma aesculapius
Medium	Invertebrate-Conocephalus peringueyi
Medium	Invertebrate-Aneuryphymus montanus




# MAP OF RELATIVE AQUATIC BIODIVERSITY THEME SENSITIVITY

Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
Х			


Sensitivity	Feature(s)
Low	Low sensitivity
Very High	Wetlands_West Coast Renosterveld Bioregion (Seep)

# MAP OF RELATIVE ARCHAEOLOGICAL AND CULTURAL HERITAGE THEME SENSITIVITY



Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
			Х

Sensitivity	Feature(s)
Low	Low sensitivity



# MAP OF RELATIVE CIVIL AVIATION THEME SENSITIVITY

Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
	Х		


Sensitivity	Feature(s)
High	Within 8 km of other civil aviation aerodrome
Medium	Between 15 and 35 km from a civil aviation radar
Medium	Between 15 and 35 km from a major civil aviation aerodrome

# 

# MAP OF RELATIVE DEFENCE THEME SENSITIVITY

Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
		х	

Sensitivity	Feature(s)
Medium	Military and Defence Site



# MAP OF RELATIVE PALEONTOLOGY THEME SENSITIVITY

Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
			Х

Sensitivity	Feature(s)
Low	Features with a Low paleontological sensitivity

# Low of the set of the

MAP OF RELATIVE PLANT SPECIES THEME SENSITIVITY

Where only a sensitive plant unique number or sensitive animal unique number is provided in the screening report and an assessment is required, the environmental assessment practitioner (EAP) or specialist is required to email SANBI at <u>eiadatarequests@sanbi.org.za</u> listing all sensitive species with their unique identifiers for which information is required. The name has been withheld as the species may be prone to illegal harvesting and must be protected. SANBI will release the actual species name after the details of the EAP or specialist have been documented.

Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
		Х	

#### **Sensitivity Features:**

Sensitivity	Feature(s)
Low	Low Sensitivity
Medium	Lampranthus amoenus
Medium	Lampranthus aureus
Medium	Lampranthus dilutus
Medium	Lampranthus filicaulis
Medium	Lampranthus leptaleon
Medium	Lampranthus peacockiae
Medium	Lampranthus scaber
Medium	Lampranthus sociorum
Medium	Lampranthus spiniformis
Medium	Lampranthus stenopetalus
Medium	Lampranthus stenus
Medium	Lampranthus tenuifolius

Page 15 of 20

		1
Medium	Antimima mucronata	
Medium	Antimima aristulata	
Medium	Erepsia patula	
Medium	Erepsia ramosa Ruschia diversifolia	
Medium Medium		
	Ruschia geminiflora Ruschia schollii	
Medium		
Medium Medium	Drosanthemum hispifolium	
Medium	Cephalophyllum parviflorum Amphithalea ericifolia subsp. erecta	
Medium Medium	Xiphotheca lanceolata	
	Indigofera psoraloides	
Medium	Aspalathus acanthophylla	
Medium	Aspalathus aculeata	
Medium	Aspalathus araneosa	
Medium	Aspalathus attenuata	
Medium	Aspalathus lotoides subsp. lotoides	
Medium	Aspalathus muraltioides	
Medium	Aspalathus puberula	
Medium	Aspalathus retroflexa subsp. bicolor	
Medium	Aspalathus varians	
Medium	Aspalathus wurmbeana	
Medium	Aspalathus crewiana	
Medium	Rafnia lancea	
Medium	Rafnia angulata subsp. humilis	
Medium	Rafnia angulata subsp. ericifolia	
Medium	Lebeckia plukenetiana	
Medium	Podalyria argentea	
Medium	Podalyria microphylla	
Medium	Podalyria sericea	
Medium	Thesium ecklonianum	
Medium Medium	Leucadendron cinereum	
Medium	Leucadendron corymbosum Leucadendron lanigerum var. lanigerum	
Medium	Leucadendron levisanus	
Medium	Leucadendron linifolium	
Medium	Leucadendron stellare	
Medium	Leucadendron thymifolium	
Medium	Leucadendron verticillatum	
Medium	Leucospermum grandiflorum	
Medium	Leucospermum hypophyllocarpodendron subsp. canaliculatum	
Medium	Leucospermum hypophyliocarpodendron subsp. hypophyliocarpodendron	
Medium	Protea burchellii	
Medium	Diastella proteoides	
Medium	Serruria aemula	
Medium	Serruria brownii	
Medium	Serruria incrassata	
Medium	Serruria trilopha	
Medium	Merciera tetraloba	
Medium	Roella arenaria	
Medium	Treichelia dodii	
Medium	Microdon capitatus	
Medium	Pentameris bachmannii	1
Medium	Pentameris pholiuroides	1
Medium	Anthospermum ericifolium	1
Medium	Lobostemon capitatus	
Medium	Echiostachys incanus	1
Medium	Echiostachys spicatus	1
Medium		
Medium	Aristea lugens	

Page 16 of 20


Medium	Hesperantha spicata subsp. spicata	
Medium	Hesperantha sufflava	
Medium	Sensitive species 14	
Medium	Sensitive species 267	
Medium	Sensitive species 631	
Medium	Sensitive species 331	
Medium	Sensitive species 533	
Medium	Sensitive species 975	
Medium	Sensitive species 1134	
Medium	Sensitive species 878	
Medium	Geissorhiza brehmii	
Medium	Geissorhiza furva	
Medium	Geissorhiza humilis	
Medium	Geissorhiza monanthos	
Medium	Geissorhiza purpurascens	
Medium	Geissorhiza radians	
Medium	Geissorhiza setacea	
Medium	Geissorhiza erosa	
Medium	Thereianthus bulbiferus	
Medium	Ixia abbreviata	
Medium	Ixia erubescens	
Medium	Ixia rouxii	
Medium	Ixia fuscocitrina	
Medium	Sensitive species 881	
Medium	Sensitive species 683	
Medium	Sensitive species 560	
Medium	Romulea eximia	
Medium	Sensitive species 1253	
Medium	Sensitive species 1	
Medium	Sensitive species 830	
Medium	Sensitive species 1140	
Medium	Sensitive species 995	
Medium	Sensitive species 298	
Medium	Sensitive species 807	
Medium	Sensitive species 863	
Medium	Sensitive species 1266	
Medium	Pauridia alba	
Medium	Pauridia canaliculata	
Medium	Pauridia pygmaea	
Medium	Monopsis variifolia	
Medium	Oxalis falcatula	
Medium	Oxalis natans	
Medium	Oxalis strigosa	
Medium	Erica bolusiae var. bolusiae	
Medium	Hermannia rugosa	
Medium	Sensitive species 769	
Medium	Sensitive species 222	
Medium	Sebaea rara	
Medium	Sensitive species 444	
Medium	Sensitive species 1240	
Medium	Sensitive species 493	
Medium	Sensitive species 18	
Medium	Sensitive species 259	
Medium	Sensitive species 478	
Medium	Sensitive species 756	
Medium	Adenogramma rigida	
Medium	Wachendorfia brachyandra	
Medium	Hessea cinnamomea	
Medium	Sensitive species 847	
Medium	Isoetes capensis	

Page 17 of 20

Medium	Sensitive species 133
Medium	Isolepis inconspicua
Medium	Isolepis venustula
Medium	Trianoptiles solitaria
Medium	Cannomois arenicola
Medium	Elegia extensa
Medium	Elegia prominens
Medium	Hypodiscus rugosus
Medium	Restio duthieae
Medium	Restio micans
Medium	Restio impolitus
Medium	Restio papillosus
Medium	Restio pratensis
Medium	Anisodontea biflora
Medium	Cynanchum zeyheri
Medium	Sensitive species 985
Medium	Sensitive species 120
Medium	Sensitive species 266
Medium	Pterygodium cruciferum
Medium	Pterygodium inversum
Medium	Pterygodium microglossum
Medium	Gnidia spicata
Medium	Lachnaea uniflora
Medium	Metalasia capitata
Medium	Metalasia octoflora
Medium	Marasmodes dummeri
Medium	Steirodiscus tagetes
Medium	Senecio cadiscus
Medium	Cotula eckloniana
Medium	Athanasia capitata
Medium	Athanasia crenata
Medium	Athanasia rugulosa
Medium	Arctotis angustifolia
Medium	Sensitive species 1042
Medium	Arctotheca forbesiana
Medium	Diosma dichotoma
Medium	Agathosma corymbosa
Medium	Agathosma latipetala
Medium	Agathosma propinqua
Medium	Adenandra villosa subsp. biseriata
Medium	Macrostylis cassiopoides subsp. dregeana
Medium	Macrostylis villosa subsp. villosa
Medium	Cliffortia acockii
Medium	Cliffortia ericifolia
Medium	Cliffortia hirta
Medium	Cliffortia marginata
Medium	Muraltia brevicornu
Medium	Muraltia decipiens
Medium	Muraltia macropetala
Madiuma	Muraltia mitior
Medium	
Medium	Sensitive species 1218
Medium	Sensitive species 1218
Medium Medium	Sensitive species 1218     Sensitive species 262     Sensitive species 1135
Medium Medium Medium Medium	Sensitive species 1218Sensitive species 262Sensitive species 1135Sensitive species 158
Medium Medium Medium Medium Medium	Sensitive species 1218Sensitive species 262Sensitive species 1135Sensitive species 158Sensitive species 1265
Medium Medium Medium Medium Medium	Sensitive species 1218Sensitive species 262Sensitive species 1135Sensitive species 158Sensitive species 1265Sensitive species 723
Medium Medium Medium Medium Medium Medium	Sensitive species 1218Sensitive species 262Sensitive species 1135Sensitive species 158Sensitive species 1265Sensitive species 723Sensitive species 616
Medium Medium Medium Medium Medium Medium Medium	Sensitive species 1218Sensitive species 262Sensitive species 1135Sensitive species 158Sensitive species 1265Sensitive species 723Sensitive species 616Wurmbea inusta
Medium Medium Medium Medium Medium Medium	Sensitive species 1218Sensitive species 262Sensitive species 1135Sensitive species 158Sensitive species 1265Sensitive species 723Sensitive species 616

Page 18 of 20

N 4 a alterna	Dhadtee steere wetels were steere wetels	
Medium	Phylica stenopetala var. stenopetala	
Medium	Phylica strigulosa	
Medium	Phylica thunbergiana	
Medium	Codonorhiza azurea	
Medium	Skiatophytum skiatophytoides	
Medium	Lampranthus debilis	
Medium	Lampranthus glaucus	
Medium	Drosanthemum striatum	
Medium	Argyrolobium velutinum	
Medium	Xiphotheca reflexa	
Medium	Psoralea alata	
Medium	Aspalathus lebeckioides	
Medium	Aspalathus recurva	
Medium	Aspalathus tylodes	
Medium	Aponogeton fugax	
Medium	Leucospermum rodolentum	
Medium	Protea scolymocephala	
Medium	Sensitive species 593	
Medium	Sensitive species 335	
Medium	Sensitive species 599	
Medium	Elegia squamosa	
Medium	Elegia verreauxii	
Medium	Restio paludosus	
Medium	Restio rigoratus	
Medium	Sensitive species 500	
Medium	Sensitive species 654	
Medium	Lachnaea capitata	
Medium	Lachnaea grandiflora	
Medium	Cotula pusilla	
Medium	Perdicium capense	
Medium	Sensitive species 1225	



# MAP OF RELATIVE TERRESTRIAL BIODIVERSITY THEME SENSITIVITY

Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
Х			

Sensitivity Feature(s)				
Schlotery				
Very High	CBA 2: Terrestrial (see CT data)			
Very High	CBA 1: Terrestrial (see CT data)			
Very High	CR_Cape Flats Sand Fynbos			
Very High	EN_Swartland Granite Renosterveld			
Very High	CR_Swartland Shale Renosterveld			

# SCREENING REPORT FOR AN ENVIRONMENTAL AUTHORIZATION AS REQUIRED BY THE 2014 EIA REGULATIONS – PROPOSED DEVELOPMENT FOOTPRINT ENVIRONMENTAL SENSITIVITY

.....

**EIA Reference number:** DEA&DP Pre-app:16/3/3/6/7/2/A5/20/2209/23

Project name: Proposed Expansion of CWA

Project title: Proposed Expansion of CWA

Date screening report generated: 09/04/2024 16:20:22

Applicant: Capewinelands Aero (Pty) Ltd

Compiler: PHS Consulting

Compiler signature:


**Application Category:** Infrastructure | Transport Services | Airport\_Runways\_Landing Strip\_Helipad | Commercial

# Table of Contents

Proposed Project Location	3
Orientation map 1: General location	3
Map of proposed site and relevant area(s)	4
Cadastral details of the proposed site	4
Wind and Solar developments with an approved Environmental Authorisation or applications under consideration within 30 km of the proposed area	5
Environmental Management Frameworks relevant to the application	5
Environmental screening results and assessment outcomes	5
Relevant development incentives, restrictions, exclusions or prohibitions	6
Proposed Development Area Environmental Sensitivity	6
Specialist assessments identified	
Results of the environmental sensitivity of the proposed area.	
MAP OF RELATIVE AGRICULTURE THEME SENSITIVITY	8
MAP OF RELATIVE ANIMAL SPECIES THEME SENSITIVITY	9
MAP OF RELATIVE AQUATIC BIODIVERSITY THEME SENSITIVITY	10
MAP OF RELATIVE ARCHAEOLOGICAL AND CULTURAL HERITAGE THEME SENSITIVITY	11
MAP OF RELATIVE CIVIL AVIATION THEME SENSITIVITY	
MAP OF RELATIVE DEFENCE THEME SENSITIVITY	13
MAP OF RELATIVE PALEONTOLOGY THEME SENSITIVITY	14
MAP OF RELATIVE PLANT SPECIES THEME SENSITIVITY	15
MAP OF RELATIVE TERRESTRIAL BIODIVERSITY THEME SENSITIVITY	20

# **Proposed Project Location**

# Orientation map 1: General location



**General Orientation: Proposed Expansion of CWA** 

# Map of proposed site and relevant area(s)



# Cadastral details of the proposed site

#### Property details:

No	Farm Name	Farm/ Erf No	Portion	Latitude	Longitude	Property Type
1	JOOSTENBERGS KLOOF	474	0	33°45'33.29S	18°44'50.31E	Farm
2		1263	0	33°43'40.2S	18°44'23.51E	Farm
3	JOOSTENBERGKLOOF	1294	0	33°45'55.85S	18°45'5.43E	Farm
4	KLIPRUG	942	0	33°43'51.86S	18°43'51.42E	Farm
5	JOOSTENBERG VLAKTE	724	0	33°47'12.62S	18°43'58.99E	Farm
6	JOOSTENBERG VLAKTE	724	0	33°47'12.62S	18°43'58.99E	Farm Portion
7	JOOSTENBERGS KLOOF	474	4	33°46'7.73S	18°44'41.41E	Farm Portion
8		1263	0	33°43'41.48S	18°44'23.55E	Farm Portion
9	KLIPRUG	942	16	33°44'8.63S	18°44'36.26E	Farm Portion
10	JOOSTENBERGKLOOF	1294	0	33°45'55.85S	18°45'5.43E	Farm Portion
11	KLIPRUG	942	7	33°44'30.38S	18°44'10.4E	Farm Portion
12	JOOSTENBERG VLAKTE	724	10	33°46'13.22S	18°44'19.43E	Farm Portion
13	JOOSTENBERG VLAKTE	724	23	33°45'26.55S	18°43'56.04E	Farm Portion
14	JOOSTENBERGS KLOOF	474	0	33°45'9.71S	18°44'41.41E	Farm Portion
15	JOOSTENBERG VLAKTE	724	0	33°45'49.53S	18°44'0.5E	Farm Portion
16	KLIPRUG	942	7	33°44'28.77S	18°44'10.4E	Farm Portion
17	JOOSTENBERGS KLOOF	474	3	33°45'39.94S	18°44'51.04E	Farm Portion

Development footprint<sup>1</sup> vertices:

Footprint	Latitude	Longitude
1	33°44'32.47S	18°43'18.62E
1	33°44'17.81S	18°43'57.1E
1	33°45'45.68S	18°44'38.81E
1	33°45'48S	18°44'35.1E
1	33°46'10.34S	18°44'48.08E
1	33°46'16.51S	18°44'46.23E
1	33°46'21.12S	18°44'47.15E
1	33°46'22.67S	18°44'48.08E
1	33°46'21.9S	18°44'53.64E
1	33°46'24.98S	18°44'55.96E
1	33°46'32.68S	18°44'11E
1	33°46'8.8S	18°44'3.12E
1	33°46'8.8S	18°43'54.32E
1	33°45'1.76S	18°43'48.75E
1	33°44'33.23S	18°43'20.02E
1	33°44'32.47S	18°43'18.62E

Wind and Solar developments with an approved Environmental Authorisation or applications under consideration within 30 km of the proposed area

No	EIA Reference No	Classification	Status of application	Distance from proposed area (km)
1	12/12/20/2109/AM1	Solar PV	Approved	21.3
2	12/12/20/2109	Solar PV	Approved	21.3
3	12/12/20/2109/AM2	Solar PV	Approved	21.3
4	12/12/20/2109/AM3	Solar PV	Approved	21.3

# Environmental Management Frameworks relevant to the application

No intersections with EMF areas found.

# Environmental screening results and assessment outcomes

The following sections contain a summary of any development incentives, restrictions, exclusions or prohibitions that apply to the proposed development footprint as well as the most environmental sensitive features on the footprint based on the footprint sensitivity screening results for the application classification that was selected. The application classification selected for this report is:

Infrastructure | Transport Services | Airport\_Runways\_Landing Strip\_Helipad | Commercial.

<sup>&</sup>lt;sup>1</sup> "development footprint", means the area within the site on which the development will take place and incudes all ancillary developments for example roads, power lines, boundary walls, paving etc. which require vegetation clearance or which will be disturbed and for which the application has been submitted.

# Relevant development incentives, restrictions, exclusions or prohibitions

The following development incentives, restrictions, exclusions or prohibitions and their implications that apply to this footprint are indicated below.

Incentive, restriction or prohibition	Implication
Strategic Transmission Corridor-Central corridor	https://screening.environment.gov.za/ScreeningDownloads/Developmen tZones/Combined_EGI.pdf
Strategic Gas Pipeline Corridors-Phase 1a & 1b: Saldanha to Ankerlig and Saldanha to Mossel Bay	https://screening.environment.gov.za/ScreeningDownloads/Developmen tZones/Combined_GAS.pdf

# Proposed Development Area Environmental Sensitivity

The following summary of the development footprint environmental sensitivities is identified. Only the highest environmental sensitivity is indicated. The footprint environmental sensitivities for the proposed development footprint as identified, are indicative only and must be verified on site by a suitably qualified person before the specialist assessments identified below can be confirmed.

Theme	Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
Agriculture Theme		Х		
Animal Species Theme		X		
Aquatic Biodiversity Theme	Х			
Archaeological and Cultural				Х
Heritage Theme				
Civil Aviation Theme		Х		
Defence Theme			Х	
Paleontology Theme				Х
Plant Species Theme			Х	
Terrestrial Biodiversity Theme	X			

# Specialist assessments identified

Based on the selected classification, and the known impacts associated with the proposed development, the following list of specialist assessments have been identified for inclusion in the assessment report. It is the responsibility of the EAP to confirm this list and to motivate in the assessment report, the reason for not including any of the identified specialist study including the provision of photographic evidence of the footprint situation.

No	Specialist assessment	Assessment Protocol
1	Agricultural Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse ssmentProtocols/Gazetted_General_Agriculture_Assessment_Pro tocols.pdf
2	Archaeological and Cultural Heritage Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse ssmentProtocols/Gazetted_General_Requirement_Assessment_P rotocols.pdf
3	Palaeontology Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse

		ssmentProtocols/Gazetted General Requirement Assessment P
		rotocols.pdf
4	Terrestrial Biodiversity	https://screening.environment.gov.za/ScreeningDownloads/Asse
	Impact Assessment	ssmentProtocols/Gazetted Terrestrial Biodiversity Assessment
		Protocols.pdf
5	Aquatic Biodiversity	https://screening.environment.gov.za/ScreeningDownloads/Asse
	Impact Assessment	ssmentProtocols/Gazetted Aquatic Biodiversity Assessment Pr
		<u>otocols.pdf</u>
6	Avian Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse
		ssmentProtocols/Gazetted_Avifauna_Assessment_Protocols.pdf
7	Civil Aviation Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse
		ssmentProtocols/Gazetted_Civil_Aviation_Installations_Assessme
		nt_Protocols.pdf
8	Defense Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse
		ssmentProtocols/Gazetted_Defence_Installations_Assessment_Pr
		<u>otocols.pdf</u>
9	Noise Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse
		ssmentProtocols/Gazetted_Noise_Impacts_Assessment_Protocol.
		<u>pdf</u>
10	Traffic Impact	https://screening.environment.gov.za/ScreeningDownloads/Asse
	Assessment	ssmentProtocols/Gazetted General Requirement Assessment P
		<u>rotocols.pdf</u>
11	Geotechnical Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse
		ssmentProtocols/Gazetted_General_Requirement_Assessment_P
		<u>rotocols.pdf</u>
12	Socio-Economic	https://screening.environment.gov.za/ScreeningDownloads/Asse
	Assessment	ssmentProtocols/Gazetted General Requirement Assessment P
		rotocols.pdf
13	Plant Species Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse
		ssmentProtocols/Gazetted Plant Species Assessment Protocols.
		pdf
14	Animal Species	https://screening.environment.gov.za/ScreeningDownloads/Asse
	Assessment	ssmentProtocols/Gazetted Animal Species Assessment Protoco
		<u>ls.pdf</u>

# Results of the environmental sensitivity of the proposed area.

The following section represents the results of the screening for environmental sensitivity of the proposed footprint for relevant environmental themes associated with the project classification. It is the duty of the EAP to ensure that the environmental themes provided by the screening tool are comprehensive and complete for the project. Refer to the disclaimer.




#### MAP OF RELATIVE AGRICULTURE THEME SENSITIVITY

Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
	Х		

Sensitivity	Feature(s)
High	Annual Crop Cultivation / Planted Pastures Rotation; Land capability; 06. Low-Moderate/07. Low-
	Moderate/08. Moderate
High	Annual Crop Cultivation / Planted Pastures Rotation;Land capability;01. Very low/02. Very low/03.
	Low-Very low/04. Low-Very low/05. Low
Low	Land capability;01. Very low/02. Very low/03. Low-Very low/04. Low-Very low/05. Low
Medium	Land capability;06. Low-Moderate/07. Low-Moderate/08. Moderate


# MAP OF RELATIVE ANIMAL SPECIES THEME SENSITIVITY



Where only a sensitive plant unique number or sensitive animal unique number is provided in the screening report and an assessment is required, the environmental assessment practitioner (EAP) or specialist is required to email SANBI at <u>eiadatarequests@sanbi.org.za</u> listing all sensitive species with their unique identifiers for which information is required. The name has been withheld as the species may be prone to illegal harvesting and must be protected. SANBI will release the actual species name after the details of the EAP or specialist have been documented.

Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
	X		

Sensitivity	Feature(s)
High	Aves-Circus maurus
High	Aves-Pelecanus onocrotalus
High	Aves-Sagittarius serpentarius
Medium	Aves-Circus ranivorus
Medium	Aves-Hydroprogne caspia
Medium	Aves-Afrotis afra
Medium	Invertebrate-Pachysoma aesculapius
Medium	Invertebrate-Conocephalus peringueyi
Medium	Invertebrate-Aneuryphymus montanus




# MAP OF RELATIVE AQUATIC BIODIVERSITY THEME SENSITIVITY

Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
Х			


Sensitivity	Feature(s)
Low	Low sensitivity
Very High	Wetlands_West Coast Renosterveld Bioregion (Seep)

# MAP OF RELATIVE ARCHAEOLOGICAL AND CULTURAL HERITAGE THEME SENSITIVITY



Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
			Х

Sensitivity	Feature(s)
Low	Low sensitivity



# MAP OF RELATIVE CIVIL AVIATION THEME SENSITIVITY

Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
	Х		

Sensitivity	Feature(s)
High	Within 8 km of other civil aviation aerodrome
Medium	Between 15 and 35 km from a civil aviation radar
Medium	Between 15 and 35 km from a major civil aviation aerodrome


# 

# MAP OF RELATIVE DEFENCE THEME SENSITIVITY

Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
		Х	

# Sensitivity Features:

Sensitivity Feature(s)		
Medium	Military and Defence Site	



# MAP OF RELATIVE PALEONTOLOGY THEME SENSITIVITY

Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
			Х

Sensitivity	Feature(s)	
Low	Features with a Low paleontological sensitivity	

# 

MAP OF RELATIVE PLANT SPECIES THEME SENSITIVITY

Where only a sensitive plant unique number or sensitive animal unique number is provided in the screening report and an assessment is required, the environmental assessment practitioner (EAP) or specialist is required to email SANBI at <u>eiadatarequests@sanbi.org.za</u> listing all sensitive species with their unique identifiers for which information is required. The name has been withheld as the species may be prone to illegal harvesting and must be protected. SANBI will release the actual species name after the details of the EAP or specialist have been documented.

Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
		Х	

#### **Sensitivity Features:**

Sensitivity	Feature(s)
Low	Low Sensitivity
Medium	Lampranthus amoenus
Medium	Lampranthus aureus
Medium	Lampranthus dilutus
Medium	Lampranthus filicaulis
Medium	Lampranthus leptaleon
Medium	Lampranthus peacockiae
Medium	Lampranthus scaber
Medium	Lampranthus sociorum
Medium	Lampranthus spiniformis
Medium	Lampranthus stenopetalus
Medium	Lampranthus stenus
Medium	Lampranthus tenuifolius

Page 15 of 20

		1
Medium	Antimima mucronata	
Medium	Antimima aristulata	-
Medium	Erepsia patula	-
Medium	Erepsia ramosa Ruschia diversifolia	-
Medium	Ruschia geminiflora	-
Medium	Ruschia schollii	-
Medium		-
Medium Medium	Drosanthemum hispifolium	-
Medium	Cephalophyllum parviflorum	-
Medium	Amphithalea ericifolia subsp. erecta	-
Medium	Xiphotheca lanceolata	-
Medium	Indigofera psoraloides Aspalathus acanthophylla	-
Medium	Aspalathus aculeata	-
Medium	Aspalathus aculeata	-
		-
Medium	Aspalathus attenuata	-
Medium	Aspalathus lotoides subsp. lotoides Aspalathus muraltioides	-
Medium		
Medium	Aspalathus puberula Aspalathus retroflexa subsp. bicolor	
Medium Medium	Aspalathus retrollexa subsp. bicolor Aspalathus varians	
Medium	Aspalathus wurmbeana	
Medium	Aspalathus crewiana	
Medium	Rafnia lancea	
Medium	Rafnia angulata subsp. humilis	
Medium	Rafnia angulata subsp. ericifolia	
Medium	Lebeckia plukenetiana	
Medium	Podalyria argentea	-
Medium	Podalyria microphylla	-
Medium	Podalyria sericea	-
Medium	Thesium ecklonianum	
Medium	Leucadendron cinereum	
Medium	Leucadendron corymbosum	
Medium	Leucadendron lanigerum var. lanigerum	
Medium	Leucadendron levisanus	
Medium	Leucadendron linifolium	
Medium	Leucadendron stellare	
Medium	Leucadendron thymifolium	
Medium	Leucadendron verticillatum	
Medium	Leucospermum grandiflorum	
Medium	Leucospermum hypophyllocarpodendron subsp. canaliculatum	
Medium	Leucospermum hypophyllocarpodendron subsp. hypophyllocarpodendron	-
Medium	Protea burch <mark>elli</mark> i	
Medium	Diastella proteoides	-
Medium	Serruria aemula	-
Medium	Serruria brownii	-
Medium	Serruria incrassata	-
Medium	Serruria trilopha	-
Medium	Merciera tetraloba	-
Medium	Roella arenaria	-
Medium	Treichelia dodii	
Medium	Microdon capitatus	4
Medium	Pentameris bachmannii	4
Medium	Pentameris pholiuroides	4
Medium	Anthospermum ericifolium	4
Medium	Lobostemon capitatus	4
Medium	Echiostachys incanus	4
Medium	Echiostachys spicatus	4
Medium	Aristea lugens	4
Medium	Tritoniopsis elongata	


Page 16 of 20

[		
Medium	Hesperantha spicata subsp. spicata	
Medium	Hesperantha sufflava	
Medium	Sensitive species 14	
Medium	Sensitive species 267	
Medium	Sensitive species 631	
Medium	Sensitive species 331	
Medium	Sensitive species 533	
Medium	Sensitive species 975	
Medium	Sensitive species 1134	
Medium	Sensitive species 878	
Medium	Geissorhiza brehmii	
Medium	Geissorhiza furva	
Medium	Geissorhiza humilis	
Medium	Geissorhiza monanthos	
Medium	Geissorhiza purpurascens	
Medium	Geissorhiza radians	
Medium	Geissorhiza setacea	
Medium	Geissorhiza erosa	
Medium	Thereianthus bulbiferus	
Medium	Ixia abbreviata	
Medium	Ixia erubescens	
Medium	Ixia rouxii	
Medium	Ixia fuscocitrina	
Medium	Sensitive species 881	
Medium	Sensitive species 683	
Medium	Sensitive species 560	
Medium	Romulea eximia	
Medium	Sensitive species 1253	
Medium	Sensitive species 1	
Medium	Sensitive species 830	
Medium	Sensitive species 1140	
Medium	Sensitive species 995	
Medium	Sensitive species 298	
Medium	Sensitive species 807	
Medium	Sensitive species 863	
Medium	Sensitive species 1266	
Medium	Pauridia alba	
Medium	Pauridia canaliculata	
Medium	Pauridia pygmaea	
Medium	Monopsis variifolia	
Medium	Oxalis falcatula	
Medium	Oxalis natans	
Medium	Oxalis strigosa	
Medium	Erica bolusiae var. bolusiae	
Medium	Hermannia rugosa	
Medium	Sensitive species 769	
Medium	Sensitive species 222	
Medium	Sebaea rara	
Medium	Sensitive species 444	
Medium	Sensitive species 1240	
Medium	Sensitive species 493	
Medium	Sensitive species 18	
Medium	Sensitive species 259	
Medium	Sensitive species 478	
Medium	Sensitive species 756	
Medium	Adenogramma rigida	
Medium	Wachendorfia brachyandra	
Medium	Hessea cinnamomea	
Medium	Sensitive species 847	
Medium	Isoetes capensis	
	······	

Page 17 of 20

Medium	Sensitive species 133
Medium	Isolepis inconspicua
Medium	Isolepis venustula
Medium	Trianoptiles solitaria
Medium	Cannomois arenicola
Medium	Elegia extensa
Medium	Elegia prominens
Medium	Hypodiscus rugosus
Medium	Restio duthieae
Medium	Restio micans
Medium	Restio impolitus
Medium	Restio papillosus
Medium	Restio pratensis
Medium	Anisodontea biflora
Medium	Cynanchum zeyheri
Medium	Sensitive species 985
Medium	Sensitive species 120
Medium	Sensitive species 266
Medium	Pterygodium cruciferum
Medium	Pterygodium inversum
Medium	Pterygodium microglossum
Medium	Gnidia spicata
Medium	Lachnaea uniflora
Medium	Metalasia capitata
Medium	Metalasia octoflora
Medium	Marasmodes dummeri
Medium	Steirodiscus tagetes
Medium	Senecio cadiscus
Medium	Cotula eckloniana
Medium	Athanasia capitata
Medium	Athanasia crenata
Medium	Athanasia rugulosa
Medium	Arctotis angustifolia
Medium	Sensitive species 1042
Medium	Arctotheca forbesiana
Medium	Diosma dichotoma
Medium	Agathosma corymbosa
Medium	Agathosma latipetala
Medium	Agathosma propinqua
Medium	Adenandra villosa subsp. biseriata
Medium	Macrostylis cassiopoides subsp. dregeana
Medium	Macrostylis villosa subsp. villosa
Medium	Cliffortia acockii
Medium	Cliffortia ericifolia
Medium	Cliffortia hirta
Medium	Cliffortia marginata
Medium	Muraltia brevicornu
Medium	Muraltia decipiens
Medium	Muraltia macropetala
Medium	Muraltia mitior
Medium	Sensitive species 1218
Medium	Sensitive species 262
Medium	Sensitive species 1135
Medium	Sensitive species 158
Medium	Sensitive species 1265
Medium	Sensitive species 723
Medium	Sensitive species 616
Medium	Wurmbea inusta
Medium	Phylica harveyi
Medium	Phylica plumosa var. squarrosa

Medium	Phylica stenopetala var. stenopetala	
Medium	Phylica strigulosa	
Medium	Phylica thunbergiana	
Medium	Codonorhiza azurea	
Medium	Skiatophytum skiatophytoides	
Medium	Lampranthus debilis	
Medium	Lampranthus glaucus	
Medium	Drosanthemum striatum	
Medium	Argyrolobium velutinum	
Medium	Xiphotheca reflexa	
Medium	Psoralea alata	
Medium	Aspalathus lebeckioides	
Medium	Aspalathus recurva	
Medium	Aspalathus tylodes	
Medium	Aponogeton fugax	
Medium	Leucospermum rodolentum	
Medium	Protea scolymocephala	
Medium	Sensitive species 593	
Medium	Sensitive species 335	
Medium	Sensitive species 599	
Medium	Elegia squamosa	
Medium	Elegia verreauxii	
Medium	Restio paludosus	
Medium	Restio rigoratus	
Medium	Sensitive species 500	
Medium	Sensitive species 654	
Medium	Lachnaea capitata	
Medium	Lachnaea grandiflora	
Medium	Cotula pusilla	
Medium	Perdicium capense	
Medium	Sensitive species 1225	



# MAP OF RELATIVE TERRESTRIAL BIODIVERSITY THEME SENSITIVITY

Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
Х			

# Sensitivity Features:

Sensitivity	Feature(s)	
Very High	CBA 2: Terrestrial (see CT data)	
Very High	CBA 1: Terrestrial (see CT data)	
Very High	CR_Cape Flats Sand Fynbos	
Very High	EN_Swartland Granite Renosterveld	
Very High	CR_Swartland Shale Renosterveld	



13 October 2023

Updated 15 July 2024

# SITE SENSITIVITY VERIFICATION: CAPE WINELANDS AIRPORT EXPANSION PROJECT, FISANTEKRAAL

### PART A: DISCUSSION OF SCREENING REPORT:

The original screening tool report (31 May 2023) was based on the placement of all seven the affected farm boundaries as the site footprint, and the placement of the development footprint within this site footprint. The Infrastructure/Transport Services/Airport/Runways/Landing Strip/Helipad – Commercial sector classification was chosen. The screening tool report was rerun (9 April 2024) with the same affected footprint. No changes were noted between the two screening tool reports, but both reports are included as proof.

The affected farms include:

- 1) Portion 3 of Farm 474,
- 2) Portion 10 of Farm 724,
- 3) RE of Farm 724,
- 4) Portion 23 of Farm 724,
- 5) Portion 7 of Farm 942,
- 6) RE of Farm 474,
- 7) Portion 4 of Farm 474.



Figure 1: The site footprint forming the basis of the Screening Tool Report



Figure 2: Site footprint (blue outline) and development footprint (grey shading)




Figure 3: The cadastral entities comprising the site footprint

According to the screening tool report there is an approved solar PV development approximately 21km from the site, but no intersections with EMF areas were found.

The following development incentives, restrictions, exclusions or prohibitions apply to the site:

a) Strategic Transmission Corridor-Central corridor

The Strategic Environmental Assessment for Electricity Grid Infrastructure (EGI) identified 5 Strategic Transmission Corridors of strategic importance for the rollout of the supporting large scale electricity transmission and distribution infrastructure. These corridors support areas where long term electricity grid infrastructure will be developed.

The site footprint lies within the Central corridor of the Strategic Transmission Corridor (refer Figure 4).




Figure 4: Strategic Transmission Corridors – site indicated as yellow dot within Central Corridor (GG 44504 dated 29 April 2021)

 b) Strategic Gas Pipeline Corridors-Phase 1a & 1b: Saldanha to Ankerlig and Saldanha to Mossel Bay – the site footprint lies within the identified pipeline corridor (refer Figure 5).




Figure 5: Map of Strategic gas pipeline corridors as per GG 44191 dated 26 February 2021 (site indicated by yellow dot)

The identification of possible gas pipeline corridors is linked to Offshore Oil and Gas Exploration and the need to develop a Phased Gas Pipeline Network. Operation Phakisa and the Department of Trade and Industry (DTI) argue that the development of gas could support South Africa's industrialisation because of competitively priced energy and a stable energy supply. As indicated in Figure 5, the site lies within the 100km wide Phase 1a and 1b (Saldanha to Ankerlig and Mossel Bay) gas pipeline corridor.

According to the SEA (dated December 2019) negative mapping was developed as part of the strategic gas pipeline project to identify key **environmental sensitivities** and **engineering constraints** in terms of gas transmission pipeline infrastructure development.

**Environmental sensitivities** were regarded as environmentally sensitive features that may be negatively impacted by the gas pipeline development.

**Engineering constraints** are environmental features that are likely to impact upon the development of the physical gas pipeline infrastructure. These are features that developers preferably avoid when planning a gas pipeline development due to the increased cost of constructing and or maintaining the infrastructure in these areas.

The output of the Environmental Constraints mapping indicates areas to be avoided (Very High sensitivity), areas which are sensitive for various reasons (High-Medium sensitivity), and areas which demonstrate no or low sensitivity (Low sensitivity). **Figure 6 illustrates that the site lies within very high to high environmental constraints sensitivity rating for gas pipeline development**.

Engineering constraints in the context of the SEA refers to technical challenges posed by the landscape and surrounding environment on the construction and operation of gas pipeline infrastructure. The mapping exercise was undertaken for the entire country and based on the best available data at a national scale. The identification of features and delineation of constraint level (sensitivity) for each engineering feature was done in consultation with engineering representatives from iGas and Transnet, as well as Eskom. Typical engineering related features include steep slopes, commercial forestry areas, coastal areas and deep river gorges. Engineering constraints also include proximity to other linear infrastructure such as high voltage power lines and railway lines that present corrosion problems for the pipelines if they run parallel to this infrastructure for extended distances.

# Figure 7 illustrates that the site lies within very high to high engineering constraints sensitivity rating.

Based on Figures 6 and 7 and the discussion above, it is unlikely that the site would be chosen for future gas pipeline construction because of the very high to high environmental constraints sensitivity rating and the very high to high engineering constraints sensitivity rating. Therefore, future gas pipeline development is not a constraint to the proposed project on this site.




Figure 6: Environmental Sensitivities Map (site location indicated by yellow dot)




Figure 7: Engineering Constraints Map (site location indicated by yellow dot)

# Site footprint Environmental Sensitivity:

#### a) Agricultural Theme - HIGH Sensitivity

Certain sections of the site footprint classify as HIGH agricultural theme sensitivity based on annual crop cultivation, even though the land capability classifies as low or medium. Only RE/474 and P7/942 are cultivated and in use as agricultural land. The existing CWA entails P4/474 and P10/724 which is already in use as an airport and should not show with any agricultural sensitivity. P23/724 is allocated to mining use. RE/724 was historically used for agriculture, but agriculture has stopped, and the land was sold to the Applicant. Only the runway safety area and the area west of the runway is proposed to be rezoned to Transport Zone 1 (TR1) with a permanent consent use for "airport". The remainder of RE/474 and P7/942 will remain agricultural.

An agricultural study forms part of the Scoping and EIA process, and a specialist has been appointed.

#### b) Animal Species Theme -HIGH sensitivity

An Avifaunal and Faunal study forms part of the Scoping and EIA process and a specialist has been appointed.

c) Aquatic Biodiversity Theme - VERY HIGH Sensitivity

The rating is VERY HIGH due to the presence of seep wetlands within the site footprint. A Freshwater Ecological study forms part of the Scoping and EIA process and a specialist has been appointed.

 d) Archaeological and Cultural heritage theme– LOW sensitivity
An Archaeological study forms part of the Scoping and EIA process and a specialist has been appointed.

e) Civil Aviation Theme- HIGH sensitivity as the site is within 8 km of another civil aviation aerodrome. The site rates as MEDIUM sensitivity as it is between 15 and 35 km from a major civil aviation aerodrome.

An aviation specialist has been appointed to consider the proposed expansion project within this context as part of the Scoping and EIA process.

SACAA has also been identified as an IAP for future focussed consultation.

f) Defence Theme – MEDIUM sensitivity

The site rates as MEDIUM due to its proximity to a Military and Defence Site to the southwest of the site, the Goedverwacht communications base approximately 4km as the crow flies southwest of CWA.

ATNS has conducted an Obstacle Assessment Report (OLS) and in association with NACO, an Airspace CONOPS to understand the transition from CWA current uncontrolled airspace to a controlled airspace with instrument procedures in place.

The study confirms that the CWA and immediate surrounds are not used for any defence operations and that it is currently a private airport operating under a specific radar frequency. It further confirms that the proposed airspace procedures required for the expansion at CWA do not interfere with military airspace based on publicly available information. The study further indicated that there will not be a need for new communication system frequencies, and that frequency interference with existing defence installation and radar systems is unlikely.

Considering the proposed VHF Omnidirectional Range (VOR) and Very High Frequency Data Broadcast (VDB) proposed for the expansion of the CWA these mechanisms will only be beneficial for any defence installation if required. Although detail regarding SANDF and SAAF installations are not known to the public the intent is not to pinpoint or highlight is. By knowing the dynamic of radar and the requirement for operational effectiveness the preliminary assessment regarding the proposed CWA development indicated that it is highly likely that the proposed expansion will have a low impact on defence installations.

Based on the information obtained via the OLS and additional Airspace studies the EAP recommends that the rating be LOW and no further specialist studies required.

The SANDF, the SAAF and NASCOM was included as IAPs on the project and consultation on this position is ongoing in order to gather input regarding further requirements. During the pre-application Scoping report public participation, no comments were received that counters the EAP's position.

The need for a Glint and Glare assessment with relation to the Solar PV has been identified and will be included in the formal EIA process.

g) Palaeontology Theme – LOW sensitivity ratingDue to the LOW rating the EAP recommends no further action.

h) Plant species Theme- MEDIUM sensitivity.

A Botanical study forms part of the Scoping and EIA process and a specialist has been appointed.

# i) Terrestrial Biodiversity Theme - VERY HIGH

An Avifaunal, Faunal and Botanical study forms part of the Scoping and EIA process and a specialist has been appointed in each of these specialist areas.

#### PART B: DISCUSSION OF SPECIALIST REPORTS AND ON-SITE VERIFICATION:

As part of the Site Sensitivity Verification process, the EAP undertook several site visits. Findings of the screening report were ground-truthed by the EAP and specialist baseline studies where applicable.

The following specialist assessments were identified as part of the screening report:

#### 1) Agricultural Impact Assessment

An agricultural study forms part of the Scoping and EIA process and a specialist has been appointed.

#### 2) Archaeological and Cultural Heritage Impact Assessment

A Cultural / Built and Archaeological study forms part of the Scoping and EIA process and a specialist has been appointed.

#### 3) Palaeontology Impact Assessment

Due to the LOW rating the EAP recommends no further specialist study.

If any significant find is made during construction these should be safeguarded (preferably in situ) and the ECO should alert Heritage Western Cape so that appropriate mitigation (e.g., recording, sampling or collection) can be taken by a professional palaeontologist. The specialist involved would require a collection permit from SAHRA. Fossil material must be curated in an approved repository (e.g., museum or university collection) and all fieldwork and reports should meet the minimum standards for palaeontological impact studies developed by SAHRA. This requirement will be included in the future EMPr for the proposed project.

#### 4) Terrestrial Biodiversity Impact Assessment

An Avifaunal, Faunal and Botanical study forms part of the Scoping and EIA process and the specialists have been appointed.

#### 5) Aquatic Biodiversity Impact Assessment

A Freshwater Ecological study forms part of the Scoping and EIA process and a specialist has been appointed.

#### 6) Avian Impact Assessment

An avifaunal study forms part of the Scoping and EIA process and the specialists have been appointed.

An avian specialist has been appointed to consider the risk of avian strikes and proposed mitigation and management to be included in the Impact Assessment phase of the project.

#### 7) Civil Aviation Assessment

An aviation specialist has been appointed to consider the proposed expansion project within this context as part of the Scoping and EIA process. SACAA forms part of identified IAPs and future focussed consultation. <u>The DFFE Screening tool identified the proposed development area as "high sensitive" civil aviation area.</u>

<u>The Protocol for The Specialist Assessment and Minimum Report Content</u> <u>Requirements for Environmental Impacts on Civil Aviation Installations requires a</u> <u>Civil Aviation Compliance Statement for which NACO has been appointed.</u> <u>The compliance statement to be concluded during the EIA phase of the application</u>

must contain, as a minimum, the following information:

2.3.1. contact details of the environmental assessment practitioner or the specialist, their relevant qualifications and expertise in preparing the statement, and a CV; 2.3.2. a signed statement of independence by the environmental assessment practitioner or specialist;

2.3.3. a map showing the proposed development footprint (including supporting infrastructure) overlaid on the civil aviation sensitivity map generated by the screening tool:

2.3.4. a comment, in writing, from the South African Civil Aviation Authority (SACAA), which may include inputs from the Obstacle Evaluation Committee (OEC), if appropriate, confirming no unacceptable impact on civil aviation installations; and 2.3.5. should the comment from the SACAA indicate the need for further assessment, a copy of the assessment report and mitigation measures is to be attached to the compliance statement and incorporated into the Basic Assessment Report or Environmental Impact Assessment Report with mitigation and monitoring measures identified included in the EMPr. The assessment must be in accordance with the requirements stipulated by the SACAA.

The intent is to conclude this protocol in step 2.3.4 if SACAA confirms that the proposed development will not result in unacceptable impacts. Step 2.3.5 will only be conducted as part of the EIA phase, if further assessment work is requested by SACAA. The ToR for 2.3.5 will be determined at that point in time depending on the requirements set by SACAA. Any further assessment will be conducted by the

appointed Civil Aviation specialist or sub-consultants with expertise in the field of aviation. The assessment will adhere to the requirements of the NEMA Regulations.

#### 8) Defence Assessment

Based on the information obtained via the OLS and additional Airspace studies conducted as part of the proposed project, the EAP recommends that the rating be LOW and no further specialist studies required.

The SANDF and SAAF and NASCOM will be included as IAPs on the project to test this approach and get input into further requirements.

The need for a Glint and Glare assessment with relation to the Solar PV has been identified and will be included in the formal EIA process.

#### 9) Noise Impact Assessment

A noise study forms part of the Scoping and EIA process, and a specialist has been appointed.

#### 10) Traffic Impact Assessment

A traffic study forms part of the Scoping and EIA process, and a specialist has been appointed.

#### 11) Geotechnical Assessment

A geotechnical study forms part of the Scoping and EIA process and a specialist has been appointed.

#### 12) Socio-economic Assessment

A socio-economic study forms part of the Scoping and EIA process and a specialist has been appointed.

#### 13) Plant Species Assessment

A Botanical study forms part of the Scoping and EIA process and a specialist has been appointed.

#### 14) Animal Species Assessment

An Avifaunal and Faunal study forms part of the Scoping and EIA process and a specialist has been appointed.

Baseline studies were completed for the following specialist areas:

- a) Agriculture,
- b) Heritage (Archaeological and Built & Cultural Environment),
- c) Botanical,
- d) Freshwater Ecological,
- e) Faunal and Avifaunal,
- f) Civil Aviation,
- g) Noise,
- h) Traffic,
- i) Geotechnical,
- j) Socio-Economic,
- k) Visual,
- I) Air quality,
- m) Geohydrological,
- n) Archaeological.

The baseline studies informed the site sensitivity report, the SDP and further specialist studies required for the Scoping and Impact Assessment phases of the project.

The following additional specialist studies were commissioned by the applicant:

- 1) Air Quality Impact Assessment
- 2) Visual Impact Assessment
- 3) Geohydrology Impact Assessment
- 4) Archaeological Baseline Assessment

Post the public participation of the Pre-application Scoping report (8 November 2023 to 8 December 2023) the following additional specialist studies have been commissioned:

- 1) Climate Change Impact Assessment
- 2) Terrestrial Biodiversity offset study
- 3) Freshwater offset study
- 4) Hydropedological study
- 5) Glint and Glare study
- 6) Major Hazardous Installation risk assessment