

Appendix E16: Confirmation of service provision

1. Electricity

Electricity supply to the proposed development will be provided either through an upgrade of the existing Eskom supply or via supplementary rooftop solar installed on existing buildings. The development requires approximately 60 kVA of additional supply. Eskom is the current Network Service Provider. Eskom confirmed in writing "The existing transformer and meter box is already 200kVa, therefore no work will be done in the field, but it will only be paperwork" This imply that the hardware is in place and that the additional supply is merely paperwork which implies that the extra supply capacity is available. This is further confirmed by the quote letter subsequently supplied by Eskom for the capacity increase (refer **Annexure A** below). This would provide sufficient additional capacity for the proposed development. Alternatively, the applicant may install rooftop solar panels on existing infrastructure, providing approximately 0.054 MW of additional capacity. This installation would not trigger any NEMA-listed activities and can be implemented immediately if required. Regardless of the electricity supply option ultimately used, new underground step-up/step-down cable with a transmission capacity of 3.3 kV will be installed to the proposed development site. Given this transmission capacity, the supply line does not constitute a NEMA listed activity in its own right, it is associated infrastructure. In all cases, the underground electrical line will follow the same route along the periphery of existing agricultural fields and avoid environmental sensitivities, with no biophysical impacts anticipated.

2. Water

The water required for the proposed development is available from within the existing approved water use allocations for the property. The property, which has been under cultivation for several decades, holds verified water abstraction and storage rights (refer to **Annexure B** below). A portion of the farm previously used for irrigation has been repurposed for the development of the existing poultry rearing facility. This shift in use ensures that the overall water consumption remains balanced and within the approved volumes. As such, sufficient water is available for the development without increasing total usage. The water that will sustain the new proposed chicken facility is registered under water use number 5 in water use register number 29017625, extract attached in Annexure B below. BOCMA has confirmed that a sector change will need to be undertaken for the water used within the poultry facilities. This is an administrative process that will be complied with.

3. Sewage

A conservancy tank system will be installed at the proposed development site as no wastewater treatment works is located nearby. The conservancy tank system will be serviced by the Theewaterskloof Local Municipality. Confirmation of service provision is provided in **Annexure C** below.

4. Poultry Facility Waste

Manure will be managed by directing a portion to the registered onsite composting facility. The remainder will be used directly in the agricultural industry onsite or sold to pre-determined buyers. High-pressure wash water will be used to clean the chicken houses, with any residual water lost through evaporation

Non-infectious mortalities will be disposed of via the registered onsite composting facility. The Applicant confirmed that there is sufficient composting capacity on the farm to accommodate the expected mortalities.

In the event of infected mortalities, these will be disposed of under the direct guidance of the State Veterinarian. The volumes associated with infected mortalities are small and do not pose any capacity concerns for licensed hazardous waste facilities. Should it be required Nunn 2 Waste will be able to accept and suitably dispose of hazardous waste from the facility (refer to **Annexure D** below).

Annexure A – Eskom Capacity

olivia@phsconsulting.co.za

From: rossphilip@mweb.co.za
Sent: Thursday, 14 December 2023 07:37
To: olivia@phsconsulting.co.za
Cc: paul@phsconsulting.co.za
Subject: FW: Project CDC745944598, Increase of supply

Morning Olivia

In connection with the application for increased power supply needed for site 3 for Bapchix, the reply from Eskom below.

Kind regards
Ross

From: Elzette Hickman <accounts@kuross.co.za>
Sent: Friday, December 8, 2023 7:12 AM
To: 'Chad Philip' <chadfphilip@gmail.com>
Cc: rossphilip@mweb.co.za; finance@kuross.co.za
Subject: FW: Project CDC745944598, Increase of supply

From: Matthys Groenewald <GroeneMJ@eskom.co.za>
Sent: Friday, December 8, 2023 6:44 AM
To: accounts@kuross.co.za
Subject: Project CDC745944598, Increase of supply

Hello

With reference to your application for increase of supply from 150 to 200 kVa at the Grootvlei pivot point, the following.

The existing transformer and meter box is already 200kVa, therefore no work will be done in the field, but it will only be paperwork.

The required information was forwarded to our Customer Service Department, and they will issue the quotation in due course.

All further communication in this regard must be with Customer Services.

Regards

Matthys Groenewald
Technician Designing
Network Engineering and Design, Asset Creation
Cape Coastal Cluster
T +27 (0)21 840 2463 Pax 8926 2463
M + 27 (0)83 776 5108
E-mail groenemj@eskom.co.za

Disclaimer

NB: This Email and its contents are subject to the Eskom Holdings SOC Ltd EMAIL LEGAL NOTICE which can be viewed at <https://www.eskom.co.za/about-eskom/email-legal-spam-disclaimer/>



Mr R R F Philip
The Director
Zonderend Valley Farm (Pty) Ltd
P O Box 599
CALEDON
7230

07 December 2023

Elzaan Blood
E-mail: BloodE@eskom.co.za

Quote Ref No:
CDC745944598

Dear **Mr Philip**

BUDGET QUOTE FOR AN INCREASE OF SUPPLY ELECTRICITY FOR GROOTVLEI FARM, PIVOT POINT, CALEDON (ACCOUNT NUMBER 7295506123)

We have pleasure in providing you with this Budget Quote for **an increase of supply of electricity from 150 kVA on the Ruraflex tariff to 200 kVA on the same tariff** as contained in your application and request for a Budget Quote.

This Budget Quote together with the Electricity Supply Agreement, the form of which is attached hereto as Annexure "F" (*Form of Electricity Supply Agreement*), contains the terms and conditions of, *inter alia*, the costs and supply of electricity to the Electrical Installation from the Distribution System and/or the Transmission System.

TERMS AND CONDITIONS OF THIS BUDGET QUOTE

1 DEFINITIONS AND INTERPRETATION

- 1.1 Where applicable and unless inconsistent with the context, the capitalised words and expressions used in this Budget Quote shall have the meanings ascribed to them in Clause 1 of Annexure "A" (*Definitions and Interpretation*) and cognate expressions shall have corresponding meanings.
- 1.2 The interpretation clauses are set out in Clause 2 of Annexure "A" (*Definitions and Interpretation*).
- 1.3 Any capitalised words and expressions used but not defined in this Budget Quote shall have the meanings assigned to them in the Schedule of Standard Prices, in Annexure "F" (*Form of Electricity Supply Agreement*) and, following its execution by the Parties, the Electricity Supply Agreement.

2 BUDGET QUOTE

- 2.1 This Budget Quote supersedes any previous cost estimates, quotations, negotiations, arrangements or agreements pertaining to **the increase of supply of electricity** and related costs, whether made orally or in writing.
- 2.2 The **increase of the supply of electricity** is subject to the terms and conditions set out in this Budget Quote read together with the Electricity Supply Agreement.
- 2.3 This Budget Quote is valid for acceptance by the CUSTOMER within the Budget Quote Acceptance Period, and in accordance with the Budget Quote Acceptance Procedures.
- 2.4 This Budget Quote only becomes effective on the Budget Quote Effective Date.
- 2.5 If the Budget Quote Conditions for whatever reason have not been fulfilled within the

Distribution
Acquisitions (Western Cape Operating Unit)
60 Voortrekker Road, Bellville, 7530 PO Box 2100, Bellville, 7535
Tel +27 86 003 7566 Website www.eskom.co.za

Eskom Holdings SOC Ltd Reg No 2002/015527/30

Budget Quote Acceptance Period and in accordance with the Budget Quote Acceptance Procedures, then:

- 2.5.1 this Budget Quote shall lapse and be of no further force or effect from the day following the expiry of the Budget Quote Acceptance Period; and
- 2.5.2 any actual costs incurred by ESKOM shall be set-off against any amounts paid in advance by the CUSTOMER and the balance refunded to the CUSTOMER.

3 TECHNICAL

3.1 GENERAL

- 3.1.1 The Notified Maximum Demand to be made available by ESKOM at the CUSTOMER's Point of Delivery shall be as set out in Annexure "D" (*Technical Specifications*).
- 3.1.2 The Electrical Installation, the Property and the nature of the CUSTOMER's plant is described in Annexure "C" (*Customer Details, Description of Electrical Installation and Property*).
- 3.1.3 The location of the CUSTOMER's Point(s) of Delivery and Point(s) of Supply is described in Annexure "D" (*Technical Specifications*).
- 3.1.4 The CUSTOMER shall provide the relevant protection, synchronising and control equipment at the Electrical Installation which is compatible with the protection standard required by ESKOM and in accordance with the terms and conditions of the Electricity Supply Agreement and the Code(s).
- 3.1.5 The technical details of the Connection shall be discussed and agreed between the Parties within 30 (thirty) days (or such extended period as agreed by the Parties in writing) of the Budget Quote Effective Date. The written technical Connection details will form an integral part of this Budget Quote, the Electricity Supply Agreement.

3.2 CUSTOMER TO PROVIDE INFORMATION

- 3.2.1 The CUSTOMER shall provide to ESKOM such information and/or documentation as ESKOM may reasonably require on written notice to the CUSTOMER within 10 (ten) Business Days of such request, or such shorter period designated by ESKOM, acting reasonably.
- 3.2.2 The CUSTOMER shall submit to ESKOM together with its Acceptance Letter, the completed Load Forecast, the form of which is attached to Annexure "F" (*Form of Electricity Supply Agreement*), specifying its forecasted electricity consumption for each month during the 7 (seven) year period.

4 FINANCIAL

4.1 TARIFF CHARGES - Standard tariff details

- 4.1.1 Subject to the provisions of the Electricity Regulation Act, the current prices of the tariff as specified in Annexure "E" (*Financial Specifications*) to be charged monthly are set out in the applicable Schedule of Standard Prices attached to the Electricity Supply Agreement as Annexure "B". These prices will be valid until ESKOM's next price increase or tariff restructuring becomes operative.
- 4.1.2 The prices to be charged monthly are subject to the terms and conditions of the Electricity Supply Agreement.

4.2 CONNECTION CHARGES

- 4.2.1 The Connection Charge payable by the CUSTOMER within the Budget Quote Acceptance Period is set out in Part B of Annexure "E" (*Financial Specifications*).

SC0710(Load) Simplified BQ for Top and LPU Load Customers
(Revision 20 July 2020)

Eskom Holdings SOC Ltd Reg No 2002/015527/30

Page 2

- 4.2.2 The CUSTOMER shall pay the Monthly Connection Charges, if applicable, in accordance with the terms of the Electricity Supply Agreement.

4.3 PAYMENT AND GUARANTEES

4.3.1 Connection Charge Payment

The CUSTOMER shall pay the Connection Charge as set out in Part B of Annexure "E" (*Financial Specifications*), on or before the last day of the Budget Quote Acceptance Period by direct bank deposit or transfer or inter-bank transfer of freely available funds to ESKOM's bank account specified in the invoice issued by ESKOM. The CUSTOMER shall use the account number on the invoice as the reference number for the deposit or transfer. The Connection Charge must be reflected as having been received into ESKOM's bank account by no later than the last day of the Budget Quote Acceptance Period.

- 4.3.1.1 If the CUSTOMER is a registered vendor for VAT purposes under the VAT Act, then the Parties shall comply with the following Budget Quote Acceptance Procedures:
- 4.3.1.1.1 the CUSTOMER shall deliver the Acceptance Letter to ESKOM, together with full details of its VAT vendor registration, not less than 15 (fifteen) Business Days prior to the expiry of the Budget Quote Acceptance Period;
- 4.3.1.1.2 ESKOM shall issue a tax invoice meeting the requirements of the VAT Act in respect of the full Connection Charge to the CUSTOMER within 5 (five) Business Days of its receipt of the CUSTOMER's Acceptance Letter; and
- 4.3.1.1.3 the CUSTOMER shall pay the full invoiced amount to ESKOM in accordance with Clause 4.2.1 and promptly provide ESKOM with the CUSTOMER's bank confirmation of the electronic funds transfer or deposit of the invoiced amount.

4.3.2 Electricity Accounts Guarantee

The CUSTOMER shall provide an Electricity Accounts Guarantee, the form of which is attached to Annexure "F" (*Form of the Electricity Supply Agreement*) for the due payment of monthly electricity accounts to ESKOM no later than the last day of the Budget Quote Acceptance Period. The Electricity Accounts Guarantee Amount is set out in Annexure "E" (*Financial Specifications*).

4.3.3 Early Termination Guarantee

- 4.3.3.1 The CUSTOMER acknowledges that ESKOM has incurred certain expenditures and costs, which are not directly recovered through the Connection Charge. In the event that the Electricity Supply Agreement is terminated and/or the CUSTOMER commits an Insolvency Event before the expiry of the 13 (thirteen) year validity period of the Early Termination Guarantee, such costs shall be recovered from the Early Termination Guarantee.
- 4.3.3.2 The CUSTOMER shall deliver the Early Termination Guarantee, the form of which is attached to Annexure "F" (*Form of Electricity Supply Agreement*) to ESKOM together with its Acceptance Letter, no later than the last day of the Budget Quote Acceptance Period unless the initial Early Termination Guarantee Amount is stated in this Budget Quote as R0,00 (nil Rand) in which case, no Early Termination Guarantee is required.
- 4.3.3.3 The CUSTOMER shall maintain the Early Termination Guarantee in full force and effect in accordance with the provisions of the Electricity Supply Agreement.

5 GOVERNING LAW

- 5.1 This Budget Quote shall be governed by and construed in accordance with the laws of

SC0710(Load) Simplified BQ for Top and LPU Load Customers
(Revision 20 July 2020)

Eskom Holdings SOC Ltd Reg No 2002/015527/30

Page 3

South Africa.

6 DISPUTE RESOLUTION

- 6.1 Any claim, dispute or difference of whatsoever nature arising under, out of or in connection with this Budget Quote, including any claim, dispute or difference regarding the existence, validity, legality or expiry of this Budget Quote, shall be referred for resolution in accordance with the provisions of the Disputes and Dispute Resolution Clause of Annexure "F" (*Form of ESA*) and following its execution by the Parties the Electricity Supply Agreement.

For any information, enquiries or confirmation, please contact Elzaan Blood at telephone number 028 214 5720 at any time within the Budget Quote Acceptance Period.

I thank you for the opportunity of allowing ESKOM to provide this service and trust that your favourable reply will reach this office shortly.

Yours sincerely



.....
Odwa Mokotedi
Customer Relations Manager (Acquire Customer) – Western Cape Operating Unit,
Cape Coastal Cluster

.....14.12.2023..
Date



water & sanitation

Department:
Water and Sanitation
REPUBLIC OF SOUTH AFRICA

National Register of Water Use Registration Record 29017625

Water Use Registration Record 29017625 is issued in terms of the regulations requiring that a Water Use be registered, promulgated under Section 26(1)(c) of the National Water Act(Act 36 of 1998) to:

Applicant

Applicant Type: COMPANY
Name: ZONDEREND VALLEY FARM (PTY) LTD
Enterprise Type: PRIVATE COMPANY
Business Registration Number: 2017/524034/07
Postal Address: PO BOX 599
CALEDON
7230

VAT Registration Number:

Water Management Area

Name: BREEDE-GOURITZ

Register Status

Status: ACTIVE

Validation

Validation Status: FINALISED
Validation Status - Date Allocated: 2023/02/02 14:11:09

Verification

Verification Status: FINALISED
Verification Status - Date Allocated: 2023/02/02 14:11:09

Water Uses

See attached Annexure(s)

Water Use No.	Water Use	Volume	Volume Start Date	Volume End Date
1	21(b)	24.61 THOUSAND CUBIC METRES	2019/02/01	Brakfontein 8/123
2	21(a)	161 158 CUBIC METRES PER YEAR	2019/02/01	Brakfontein RE/123
3	21(b)	181.7 THOUSAND CUBIC METRES	2019/02/01	Brakfontein RE/123
4	21(a)	50 604 CUBIC METRES PER YEAR	2019/02/01	Grootvlei RE/225
5	21(a)	402 360 CUBIC METRES PER YEAR	2019/02/01	Grootvlei RE/225
6	21(b)	1.43 THOUSAND CUBIC METRES	2019/02/01	Grootvlei RE/225
7	21(b)	26,38 THOUSAND CUBIC METERS	2019/02/01	Grootvlei RE/225
8	21(b)	1,93 THOUSAND CUBIC METERS	2019/02/01	Grootvlei RE/225
9	21(b)	0,61 THOUSAND CUBIC METERS	2019/02/01	Grootvlei RE/225
10	21(a)	20 755 CUBIC METRES PER YEAR	2019/02/01	Grootvlei 5/225



Water Use Registration Record 29017625 is issued in terms of the regulations requiring that a Water Use be registered, promulgated under Section 26(1)(c) of the National Water Act(Act 36 of 1998) to:

11	21(a)	41 525 CUBIC METRES PER YEAR	2019/02/01	Grootvlei 5/225
12	21(a)	402 360 CUBIC METRES PER YEAR	2019/02/01	Grootvlei RE/226
13	21(a)	172 440 CUBIC METRES PER YEAR	2019/02/01	Grootvlei RE/226
14	21(b)	10.37 THOUSAND CUBIC METRES	2019/02/01	Grootvlei RE/226
15	21(b)	13.47 THOUSAND CUBIC METRE	2019/02/01	Grootvlei RE/226
16	21(b)	0.66 THOUSAND CUBIC METRES	2019/02/01	Grootvlei RE/226
17	21(b)	15.12 THOUSAND CUBIC METRES	2019/02/01	Grootvlei RE/226
18	21(b)	0.69 THOUSAND CUBIC METRES	2019/02/01	Grootvlei RE/226
19	21(b)	57.27 THOUSAND CUBIC METRES	2019/02/01	Elofsdal RE/227
20	21(b)	5.43 THOUSAND CUBIC METRES	2019/02/01	Elofsdal RE/227

B. Modan

Office: Breede-gouritz Cma
Regional Office: Western Cape Region
CMA: BREEDE-GOURITZ CATCHMENT
MANAGEMENT AGENCY

02 March 2023

Date stamp of issuing office

DISCLAIMER :

DISCLAIMER :
This Registration Record:

- This registration record:
- 1 is not an acknowledgement of an entitlement to the registered water use;
 - 2 may NOT be used to create the impression that it is proof of a water use entitlement. By virtue of section 22(1) of the National Water Act, the only documents that may be used as proof of a water use entitlement, are:
 - 2.1 a licence;
 - 2.2 an official document stating the extent of existing lawful water use pursuant to sections 33 or 35 of the National Water Act;
 - 2.3 a general authorisation as published in the Gazette; or
 - 2.4 Schedule 1 of the National Water Act.

Notes:

- notes:
- If an entitlement for the specific water use referred to in this Registration Record has been confirmed by the Department, it may be indicated as such in this Registration Record.
 - If the responsible authority has dispensed with the requirement for a licence for a specific water use, no water use entitlement is needed for that use under the National Water Act.
- 3 is issued without alterations or erasures and is invalid if it contains alterations not in conformity with the Department's official copy; and in substitution of any Registration Record the Department may have previously issued and the information is valid as at the date of issue.

National Register of Water Use Registration Record 29017625

Taking water from a water resource in terms of Section 21(a) of the National Water Act

Water Use Identification

Register Number: 29017625
 Water Use Number: 4
 Water Use Start Date: 2019/02/01
 Water Use Status Date: 2023/02/22
 Water Use Status: REGISTERED

Validation

Validation Status: FINALISED
 Validation Status - Date Allocated: 2023/02/02 14:11:11

Verification

Verification Status: FINALISED
 Verification Status - Date Allocated: 2023/02/02 14:11:11

Lawfulness Authentication

Finding: LAWFUL
 Finding Date: 2015/02/09
 Finding Reason: EXISTING LAWFUL WATER USE UNDER SECTION 35(4) OF THE NWA (ACT NO 36 OF 1998)
 Finding Confirmed: YES

Succession/Transfer Details

Succession/Transfer Type: SUCCESSION IN TITLE
 Source Part2 Details: **Register No.** **WUN**
 22016667 7
 22083004 23

Water Use Details

Water Use Sector(s)(i.e. Purpose(s) of Water Use): AGRICULTURE: IRRIGATION
 Source Type: BOREHOLE
 Water Resource Name: GROUND WATER
 Point of Abstraction: **Latitude** **Longitude**
 34.170608° south 19.598596° east
 Datum Type: WGS-84
 Quaternary Drainage Region: H60G

Registered Volumes

Start Date	End Date	Registered Volume (m³)	Time Interval
2019/02/01		50604	PER YEAR

National Register of Water Use Registration Record 29017625

Taking water from a water resource in terms of Section 21(a) of the National Water Act

Water Use Identification

Register Number: 29017625
Water Use Number: 4
Water Use Start Date: 2019/02/01
Water Use Status Date: 2023/02/22
Water Use Status: REGISTERED

Property Where Water Use Occurs

Property Name: GROOTE VALLEY
Property Number: 225
Portion of Property: 0
SG Cadastral Code: C01300000000022500000
Deeds Office: CAPE TOWN
Registration Division: CALEDON
Registration Division Province: WESTERN CAPE
Surveyor General Office: CAPE TOWN

WUN/Property Relationship Details

Relationship Start Date	Relationship End Date
2019/02/01	

National Register of Water Use Registration Record 29017625

Taking water from a water resource in terms of Section 21(a) of the National Water Act

Water Use Identification

Register Number:	29017625
Water Use Number:	4
Water Use Start Date:	2019/02/01
Water Use Status Date:	2023/02/22
Water Use Status:	REGISTERED

DISCLAIMER :

This Registration Record:

- 1 is not an acknowledgement of an entitlement to the registered water use;
- 2 may NOT be used to create the impression that it is proof of a water use entitlement. By virtue of section 22(1) of the National Water Act, the only documents that may be used as proof of a water use entitlement, are:
 - 2.1 a licence;
 - 2.2 an official document stating the extent of existing lawful water use pursuant to sections 33 or 35 of the National Water Act;
 - 2.3 a general authorisation as published in the Gazette; or
 - 2.4 Schedule 1 of the National Water Act.

Notes:

- If an entitlement for the specific water use referred to in this Registration Record has been confirmed by the Department, it may be indicated as such in this Registration Record.
 - If the responsible authority has dispensed with the requirement for a licence for a specific water use, no water use entitlement is needed for that use under the National Water Act.
- 3 is issued without alterations or erasures and is invalid if it contains alterations not in conformity with the Department's official copy; and in substitution of any Registration Record the Department may have previously issued and the information is valid as at the date of issue.

National Register of Water Use Registration Record 29017625

Taking water from a water resource in terms of Section 21(a) of the National Water Act

Water Use Identification

Register Number: 29017625
 Water Use Number: 5
 Water Use Start Date: 2019/02/01
 Water Use Status Date: 2023/02/22
 Water Use Status: REGISTERED

Validation

Validation Status: FINALISED
 Validation Status - Date Allocated: 2023/02/02 14:11:11

Verification

Verification Status: FINALISED
 Verification Status - Date Allocated: 2023/02/02 14:11:11

Lawfulness Authentication

Finding: LAWFUL
 Finding Date: 2015/02/09
 Finding Reason: EXISTING LAWFUL WATER USE UNDER SECTION 35(4) OF THE NWA (ACT NO 36 OF 1998)
 Finding Confirmed: YES

Succession/Transfer Details

Succession/Transfer Type: SUCCESSION IN TITLE
 Source Part2 Details:

Register No.	WUN
22016667	8
22083004	24

Water Use Details

Water Use Sector(s)(i.e. Purpose(s) of Water Use): AGRICULTURE: IRRIGATION
 Source Type: RIVER/STREAM
 Water Resource Name: SURFACE WATER
 Point of Abstraction:

Latitude	Longitude
34.167448° south	19.613917° east

 Datum Type: WGS-84
 Quaternary Drainage Region: H60G

Registered Volumes

Start Date	End Date	Registered Volume (m³)	Time Interval
2019/02/01		402360	PER YEAR

National Register of Water Use Registration Record 29017625

Taking water from a water resource in terms of Section 21(a) of the National Water Act

Water Use Identification

Register Number: 29017625
Water Use Number: 5
Water Use Start Date: 2019/02/01
Water Use Status Date: 2023/02/22
Water Use Status: REGISTERED

Property Where Water Use Occurs

Property Name: GROOTE VALLEY
Property Number: 225
Portion of Property: 0
SG Cadastral Code: C01300000000022500000
Deeds Office: CAPE TOWN
Registration Division: CALEDON
Registration Division Province: WESTERN CAPE
Surveyor General Office: CAPE TOWN

WUN/Property Relationship Details

Relationship Start Date	Relationship End Date
2019/02/01	

National Register of Water Use Registration Record 29017625

Taking water from a water resource in terms of Section 21(a) of the National Water Act

Water Use Identification

Register Number:	29017625
Water Use Number:	5
Water Use Start Date:	2019/02/01
Water Use Status Date:	2023/02/22
Water Use Status:	REGISTERED

DISCLAIMER :

This Registration Record:

- 1 is not an acknowledgement of an entitlement to the registered water use;
- 2 may NOT be used to create the impression that it is proof of a water use entitlement. By virtue of section 22(1) of the National Water Act, the only documents that may be used as proof of a water use entitlement, are:
 - 2.1 a licence;
 - 2.2 an official document stating the extent of existing lawful water use pursuant to sections 33 or 35 of the National Water Act;
 - 2.3 a general authorisation as published in the Gazette; or
 - 2.4 Schedule 1 of the National Water Act.

Notes:

- If an entitlement for the specific water use referred to in this Registration Record has been confirmed by the Department, it may be indicated as such in this Registration Record.
 - If the responsible authority has dispensed with the requirement for a licence for a specific water use, no water use entitlement is needed for that use under the National Water Act.
- 3 is issued without alterations or erasures and is invalid if it contains alterations not in conformity with the Department's official copy; and in substitution of any Registration Record the Department may have previously issued and the information is valid as at the date of issue.

Annexure C – Confirmation from Theewaterskloof on servicing of the proposed Conservancy Tank system

olivia@phsconsulting.co.za

From: Ross Philip <rossphilip@mweb.co.za>
Sent: Thursday, 25 September 2025 15:04
To: olivia@phsconsulting.co.za; paul@phsconsulting.co.za
Subject: FW: RE: CONSERVANCY TANK/ GROOTVLEI PLAAS-KRIGE PAD

Sent from my Galaxy

----- Original message -----

From: Heinrich Robertson <HeinrichRo@twk.gov.za>
Date: 2025/09/25 14:24 (GMT+02:00)
To: rossphilip@mweb.co.za, Haidee Sauls <haideesa@twk.gov.za>
Subject: RE: CONSERVANCY TANK/ GROOTVLEI PLAAS-KRIGE PAD

Goeie middag

Ons sal u kan diens op grootvlei dit is word behandel soos enige ander plaas in die omgewing.

Groete

Heinrich

From: rossphilip@mweb.co.za <rossphilip@mweb.co.za>
Sent: Tuesday, September 23, 2025 2:28 PM
To: Haidee Sauls <haideesa@twk.gov.za>; Heinrich Robertson <HeinrichRo@twk.gov.za>
Subject: RE: CONSERVANCY TANK/ GROOTVLEI PLAAS-KRIGE PAD

You don't often get email from rossphilip@mweb.co.za. [Learn why this is important](#)

Middag Haidee

Dit is doodreg. Ek moet net n bewys vanaf TWK Munisipaliteit kry, dat hulle wel kapasiteit het om dit te kan diens, voordat ek voort gaan met die insit daarvan.

Groete

Ross

From: Haidee Sauls <haideesa@twk.gov.za>
Sent: 23 September 2025 14:12
To: Heinrich Robertson <HeinrichRo@twk.gov.za>; rossphilip@mweb.co.za
Subject: RE: CONSERVANCY TANK/ GROOTVLEI PLAAS-KRIGE PAD

083 273 8376 (Ross Philip) sell nommer.

From: Haidee Sauls
Sent: Tuesday, September 23, 2025 2:17 PM
To: Heinrich Robertson <HeinrichRo@twk.gov.za>; 'rossphilip@mweb.co.za' <rossphilip@mweb.co.za>
Subject: CONSERVANCY TANK/ GROOTVLEI PLAAS-KRIGE PAD

Goeie middag Heinrich

Mnr Philip het my vanoggend gebel, hulle wil 'n conservancy tenk op die plaas aanbring en het 'n brief/ skrywe vanaf ons nodig wat bevestig dat ons wel die capacity het om die tenk te kan diens.

[@rossphilip@mweb.co.za](mailto:rossphilip@mweb.co.za)- Ek hoop ek het my storie agtermekaar, indien nie kan Mnr net gou weer verduidelik asb.

Sal jy asb met Mnr in verbinding tree rakende bogenoemde versoek.

Groete

Haidee Sauls

Principal Clerk: Financial Operations

Directorate: Financial Services

THEEWATERSKLOOF MUNICIPALITY

Greyton Town Office. 16 DS Botha Street Greyton 7233

Call Centre. 028 214 3300 | **Emergency.** 080 021 4730 | **Email.** haideesa@twk.gov.za

Website. www.twk.gov.za | **Follow us on Facebook, X, Instagram.** @twkmun



Annexure D – Confirmation from Nunn 2 Waste



Bapchix (Pty) Ltd
Grootvlei Farm
Caledon
7230

24 November 2025

Att: Ross Philip

Bapchix (Pty) Ltd - Mass Mortality removal and safe disposal

Mass Mortality collection and safe disposal according to will be handled by Nunn 2 Waste/DNA Compost, Waste License nr. 19/2/5/10/F5/16/NS0028/25

As per Norms and Standards Registrations - The Standards are intended for "compostable organic waste" — typical biodegradable materials of plant or non-hazardous animal/organic origin.

Infectious animal waste or mortalities classified as hazardous will be handled outside the normal process as per **NEM:WA, Animal Health Act and Waste Classification Regulations**.

Please contact me if you have any questions in this regard.

Liesel Bester
Chief Executive Officer
E-mail: info@nunn2waste.co.za
Nunn 2 Waste (Pty) Ltd

Nunn 2 Waste (Pty) Ltd
Reg No: 2018/301305/07
Office: 4 Pastoral Park, Durbanville, 7550
Tel No: +27 784031659
www.nunn2waste.co.za
E-mail: info@nunn2waste.co.za