

Geoff. Toms  
P.O. Box 7081  
Stellenbosch 7599  
Mob SA +27 763722748  
Mob UAE +971 527112969

Date : 5<sup>th</sup> April 2024  
Ref : GTDJEC – 2402

To :  
Doug Jeffery Environmental Consultants  
PO Box 44  
Klapmuts  
7625

For attention : Marais Geldenhuys  
cc. Doug Jeffery

Dear Mr Geldenhuys and Mr Jeffery

**SETBACK LINE STUDY – INFANTA**  
**Development of Portion Erf 134**  
**Confirmation of Layout Compliance with Setback Line**

I have been informed that this application is now going ahead and I have conducted a thorough review of latest documents and legislation (including but not limited to Amendment Act 36 (of 2014) to the NEM Integrated Coastal Management Act 24 (of 2008) as well as DEADP Best Practice Activity Guidelines (October 2019)). I can confirm that the setback line (as recommended in the report 6 August 2012) remains unchanged and that the latest layout (Layout Alternative 3 Diagram 29 dated 19 May 2023 and updated 23 January 2024) fully complies with the setback line. It should be noted that any pathways extending beyond the setback line should be placed on raised walkways (on piles).

This latest layout shows no conflict with the setback line study and is compliant with the setback line recommendations.

Kind regards



Geoff. Toms  
Coastal Consultant